

---

**AOJ**

**Hiroshi Tsuyuki <kagemeka1@gmail.com>**

**Jun 09, 2022**



## **CONTENTS:**

<b>1</b>	<b>aoj package</b>	<b>1</b>
1.1	Module contents . . . . .	1
<b>2</b>	<b>Indices and tables</b>	<b>3</b>
	<b>Python Module Index</b>	<b>5</b>
	<b>Index</b>	<b>7</b>



---

CHAPTER  
ONE

---

## AOJ PACKAGE

### 1.1 Module contents

```
class aoj.Pagination(current: 'int', last: 'int')
    Bases: object
    current: int
    last: int

class aoj.Submission(id: 'int', status: 'str', problem_id: 'str', language: 'str', code: 'str | None' = None)
    Bases: object
    code: str | None = None
    id: int
    language: str
    problem_id: str
    status: str

async aoj.fetch_page_submissions(driver: selenium.webdriver.chrome.webdriver.WebDriver, user_id: str,
                                  page: int) → AsyncIterator[aoj.Submission]

async aoj.fetch_pagination(driver: selenium.webdriver.chrome.webdriver.WebDriver, user_id: str) →
    aoj.Pagination

async aoj.fetch_submission_code(session: aiohttp.client.ClientSession, submission_id: int) → str

async aoj.fetch_submissions(driver: selenium.webdriver.chrome.webdriver.WebDriver, user_id: str) →
    AsyncIterator[aoj.Submission]

aoj.get_extension(language: str) → str
```



---

**CHAPTER  
TWO**

---

**INDICES AND TABLES**

- genindex
- modindex
- search



## PYTHON MODULE INDEX

a

aoj, 1



# INDEX

## A

`aoj`  
    `module`, 1

## C

`code` (*aoj.Submission attribute*), 1  
`current` (*aoj.Pagination attribute*), 1

## F

`fetch_page_submissions()` (*in module aoj*), 1  
`fetch_pagination()` (*in module aoj*), 1  
`fetch_submission_code()` (*in module aoj*), 1  
`fetch_submissions()` (*in module aoj*), 1

## G

`get_extension()` (*in module aoj*), 1

## I

`id` (*aoj.Submission attribute*), 1

## L

`language` (*aoj.Submission attribute*), 1  
`last` (*aoj.Pagination attribute*), 1

## M

`module`  
    `aoj`, 1

## P

`Pagination` (*class in aoj*), 1  
`problem_id` (*aoj.Submission attribute*), 1

## S

`status` (*aoj.Submission attribute*), 1  
`Submission` (*class in aoj*), 1